Approved for use through 03/31/2007, OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid

OMB control number Substitute for form 1449/PTO Complete if Known 10/788.410 Application Number INFORMATION DISCLOSURE 3/1/2004 Filing Date STATEMENT BY APPLICANT First Named Inventor Robert MARTUZA Art Unit 1632 Examiner Name (use as many sheets as necessary) SHEN, Wu Cheng Winston of Sheet Attorney Docket Number 066683-0198

			_
Examiner Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.) date, page(s), volume-issue number(s), publisher, city and/or country where published.	1
	A1	Non-Final Office Action dated 03/18/09 from corresponding U.S. Application No. 10/748,233	
	A2	Final Office Action dated 08/18/08 from corresponding U.S. Application No. 10/748,233	T
	А3	Interview Summary dated 05/05/08 from corresponding U.S. Application No. 10/748,233	t
	A4	PTO Communication dated 02/01/08 from corresponding U.S. Application No. 10/748,233	T
	A5	Non-Final Office Action dated 01/24/2008 from corresponding U.S. Application No. 10/748,233	T
	A6	Non-Final Office Action dated 08/06/07 from corresponding U.S. Application No. 10/748,233	t
	Α7	Final Office Action dated 04/03/07 from corresponding U.S. Application No. 10/748,233	-
	A8	Non-Final Office Action dated 10/04/06 from corresponding U.S. Application No. 10/748,233	+
	A9	Non-Final Office Action dated 03/18/09 from corresponding U.S. Application No. 11/097,391	t
	A10	Interview Summary dated 10/17/08 from corresponding U.S. Application No. 11/097,391	T
	A11	Final Office Action dated 02/07/08 from corresponding U.S. Application No. 11/097,391	T
	A12	Non-Final Office Action dated 05/30/07 from corresponding U.S. Application No. 11/097,391	-
	A13	Final Office Action dated 11/20/06 from corresponding U.S. Application No. 11/097,391	-
	A14	Non-Final Office Action dated 04/14/06 from corresponding U.S. Application No. 11/097,391	
-	-		

Examiner Signature	/Wu-Cheng Winston Shen/	Date Considered	10/30/2009

**EXAMINE: Initial if reference considered, whether or not citation is in conformance with MFEP 600. Draw line through citation if not in conformance and not considered, include copy of this form with next communication to applicant. 1 Applicant is unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www. uspin. gov or MFEP 901.04.3 Enter Office that issued the document, by he two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the region of the Emperor must precede the serial number of the patent document. 5 Kind of documents. 5 Kind of documents. 5 Kind of documents is similar to the serial number of the patent document. 5 Kind of documents is similar to the patent document. 5 Kind of documents are similar to the serial number of the patent document. 5 Kind of document serial number of the patent document. 5 Kind of documents are similar to the patent document. 5 Kind of documents are similar to the patent document. 5 Kind of document under WIPO Standard ST.16 ft possible. 6 Applicant is to place a check mark here if English language Translation is attained. 1987 to process an application. Confederation by a governed by 3 CPR 13 Ft and 18.8 The intomation is required to obtain or retain a benefit by the public which for lead of the VIPO Standard ST.16 ft. 14 This collection is estimated to take 2 hours to complex in this of many of the patent document of the patent document of the vipo standard ST.16 ft. 14 This collection is estimated to take 2 hours to complex in this of many of the patent document of the vipo standard ST.16 ft. 14 This collection is estimated to take 2 hours to complex in the other formation of the patent of the vipo standard ST.16 ft. 14 This collection is estimated to take 2 hours to complex in the other formation of the complex in the standard ST.16 ft. 14 This collection is estimated to the vipo standard ST.16 ft. 14 This collection is estimated to the vipo standard ST.16 ft. 14 This collection is